
keeping up healthy habits






Large range of easy maintenance soap dispensers

- Large selection of soap dispensers manufactured in various materials (stainless steel, plastic, etc.), different finishes (white, black, brushed, bright, etc.) different capacities (from 0.8 to 1.5 l) and different operating methods (automatic, push button, lever, etc.) for wall installation or recessed in the countertop
- Suitable for various types of soap (liquid, foam, spray), depending on the model
- Refillable soap tanks
- Exterior sight glass for soap level
- Lock with special key for protection against vandals

surjace



Automatic soap dispenser activated by means of an infrared sensor and manufactured in AISI 304 stainless steel. Liquid or foam soaps can be used depending on the chosen valve.

"Touch-free" operation reduces the risk of germs and cross-contamination during the washing process because the user does not have to touch the soap dispenser. It promotes health and wellness by preventing the spread of infectious diseases.

DJ0037A · DJF0038A · DJ0037AB · DJF0038AB · DJ0037AC · DJF0038AC · DJ0037ACS · DJF0038ACS COMPONENTS AND MATERIALS

- Infra-Red detection (5 cm hand detection)
- Vandal resistant casing with lock
- Frontal content viewer
- Corrosion-resistant anti-drip valve
- Inner plastic tank, easily removable for cleaning
- Hinged cover for operator convenience and speed of service
- Opening on top with provided Mediclinics standard key
- Operates on 6 AA alkaline batteries

DJ0037A · DJF0038A · DJ0037AB · DJF0038AB · DJ0037AC · DJF0038AC · DJ0037ACS · DJF0038ACS TECHNICAL SPECIFICATIONS

$\texttt{DJ0037A} \cdot \texttt{DJF0038A} \cdot \texttt{DJ0037AB} \cdot \texttt{DJF0038AB} \cdot \texttt{DJ0037AC} \cdot \texttt{DJF0038AC}$

DJ0037ACS · DJF0038ACS	
Capacity	1.0 L
Stainless steel thickness	0.8 mm
Weight (empty)	1.25 Кд
Recommended installation height	25 – 30 cm from countertop/shelve

DJ0037A · DJ0037AB · DJ0037AC · DJ0037ACS

Suitable soaps	Liquid soap
Quantity dispensed per pump	1.5 ml

$\texttt{DJF0038A} \cdot \texttt{DJF0038AB} \cdot \texttt{DJF0038AC} \cdot \texttt{DJF0038ACS}$


Suitable soaps	Foam soap
Quantity dispensed per pump	1 ml



64 | mediclinics

surface / recessed

AUTOMATIC



DJ0160AS · DJ0252AC COMPONENTS AND MATERIALS

DJ0160AS

- Automatic operation triggered by infrared sensors
- LED flashes when the batteries need to be replaced
- Suitable for neutral pH, chlorine-free liquid hand soap
- Suitable for disinfectant solutions, liquid soaps or hydroalcoholic gel
- Frontal content viewer
- Lock and special key supplied
- Transparent polyethylene tank
- ABS body with aluminium cover


DJ0252AC

• Automatic soap dispenser for recessing to the countertop with infra-Red detection


- The dispenser can be located on the left or right of the countertop
- Auto adjustment of the sensing range
- Refillable soap plastic tank made of PE, easily removable for emptying and cleaning
- Operates on 4 x D 1.5 V alkaline batteries. Standby power consumption < 100 μA and service power consumption < 1 A
- Suitable for soaps with a viscosity 2,000 3,500 cP and with neutral pH
- LED indicator: Continuous red LED = Batteries low voltage; Flashing blue LED = Low soap level; Flashing red LED = Malfunction or the sensor is detecting an object.

DJ0160AS · DJ0252AC TECHNICAL SPECIFICATIONS

DJ0160AS		
Capacity		0.8 L
Weight (empty)		0.75 Kg
Recommended	installation height	20 –25 cm from countertop
Suitable soaps		Chlorine-free hand soap with neutral pH,
	disinfectant solut	ions, liquid soaps and hydro alcoholic gel
Quantity dispe	nsed per pump	1 ml
DJ0252AC Capacity		1.6 L
Weight (empty)		0.95 Кд
Suitable soaps		Soaps with a viscosity 2,000 – 3,500 cP
		and with neutral pH
Quantity disper	nsed per pump	0.8 – 2.2 ml
Protection ratir	0	IP43
1 lotootoi li latii	iy	IP43



surface / push - button



DJ0031 · DJF0032 · DJS0033 · DJ0031B · DJF0032B · DJS0033B · DJ0031C · DJF0032C · DJS0033C · DJ0031CS · DJF0032CS · DJS0033CS COMPONENTS AND MATERIALS

- Vandal resistant casing with lock
- Frontal content viewer
- Stainless steel push-button
- Corrosion-resistant anti-drip valve
- Inner tank 2.5 mm thick made of translucent polypropylene
- Easily removable inner tank
- Hinged cover for operator convenience and speed of service
- Opening on top with provided Mediclinics standard key

DJ0031 · DJ0031B · DJ0031C · DJ0031CS

- Admits liquid soap or hydro-alcoholic gel **DJF0032 DJF0032B DJF0032C DJF0032CS**
- Exclusive use for foam soap
- Exclusive use for loarn soap
- $\texttt{DJS0033} \cdot \texttt{DJS0033B} \cdot \texttt{DJS0033C} \cdot \texttt{DJS0033CS}$
- Exclusive use for disinfectant liquids

				INTERCH	ANGABLES V	ALVES
ONE SOAP DISPENSER, 3 POSSIBLE VALVES!	6	0	6	liquid soap	foam	spray
		~	•	RCDJ0031 V / RC	DJF0032 V / I	RCDJS0033 V1


DJ0031 · DJF0032 · DJS0033 · DJ0031B · DJF0032B · DJS0033B · DJ0031C · DJF0032C · DJS0033C · DJ0031CS · DJ0032CS · DJ0033CS TECHNICAL SPECIFICATIONS

	4.5.1
Capacity	1.5 L
Stainless steel thickness	0.8 mm
Weight (empty)	1.25 Kg
Recommended installation height	15 - 20 cm from countertop
DJ0031 · DJ0031B · DJ0031C · DJ0	031CS
Suitable soaps	Liquid soaps and hydroalcoholic gels
Quantity dispensed per pump	1.5 ml
DJF0032 · DJF0032B · DJF0032C · I	DJF0032CS
Suitable soaps	Foam soaps
Quantity dispensed per pump	1 ml
DJS0033 · DJS0033B · DJS0033C ·	DJS0033CS
Suitable soaps	Liquid desinfectant soaps
Quantity dispensed per pump	0.8 ml



18 | mediclinics

surface / push - button



DJ0040 · DJ0040B · DJ0040C · DJ0040CS COMPONENTS AND MATERIALS

- Vandal resistant casing with lock
- Frontal content viewer
- Stainless steel push-button
- Corrosion-resistant anti-drip valve
- Inner tank made of 2,5 mm thickness translucent polypropylene
- Easily removable inner tank

- Hinged cover for operator convenience and speed of service
- Opening on top with provided mediclinics key that allows soap refill
- Allows disinfectant solutions, liquid soap or hydro-alcoholic gel


DJ0040 · DJ0040B · DJ0040C · DJ0040CS TECHNICAL SPECIFICATIONS

Capacity	1.5 L
Stainless steel thickness	0.8 mm
Weight (empty)	1.2 Kg
Recommended installation height	15 – 20 cm from countertop
Suitable soaps	disinfectant solutions, liquid soaps
	or hydro-alcoholic gel
Quantity dispensed per pump	0.8 ml





surface / push - button



DJ0112C · DJ0112CS · DJ0111C · DJ0111CS COMPONENTS AND MATERIALS

- Stainless steel body
- Fully welded structure
- Frontal content viewer
- Lock and special key supplied


- Suitable for chlorine-free hand soap with a neutral pH
- Polyethylene inner tank
- Chromed brass piston
- Chrome-plated ABS thermoplastic valve

DJ0112C · DJ0112CS · DJ0111C · DJ0111CS TECHNICAL SPECIFICATIONS

DJ0112C · DJ0112CS · DJ0111C · D	J0111CS	DJ0112C · DJ0112CS	DJ0111C · DJ0111CS	
Capacity	1.1 L			
Stainless steel thickness	1 mm		70 mm	
Weight (empty)	0.7 Kg	70		
Recommended installation height	10-15 cm to countertop	70 mm 70 mm 208 mm		
Suitable soaps	chlorine-free hand soap			
	with a neutral pH		E E	
Quantity dispensed per pump	1.1 ml		508	

8 | mediclinics

surface / push - button




DJ0115C · DJ0115CS COMPONENTS AND MATERIALS

- Stainless steel body
- Fully welded structure
- Inner tank made of polyethylene to prevent oxidation
- Black ABS thermoplastic push-button
- Suitable for chlorine-free hand soap with a neutral pH


DJ0115C · DJ0115CS TECHNICAL SPECIFICATIONS

DJ0115C · DJ0115CS

Capacity	1.3 L
Stainless steel thickness	1 mm
Weight (empty)	0.7 Kg
Recommended installation height	10 –15 cm from countertop
Suitable soaps	Chlorine-free hand soap with neutral pH
Quantity dispensed per pump	0.7 ml



surface / push-button




DJ0010F · DJ0020F COMPONENTS AND MATERIALS

- ABS thermoplastic lid
- Standard mediclinics lock and $\operatorname{key}^{\scriptscriptstyle (\!\!\!B\!)}$
- ABS thermoplastic push-button
- SAN thermoplastic tank
- Corrosion-resistant anti-drip valve


- Suitable for chlorine-free hand soap with a neutral pH
- Suitable for disinfectant solutions, liquid soaps or hydroalcoholic gel

DJ0010F · DJ0020F TECHNICAL SPECIFICATIONS

Capacity	1.1 L		
Body thickness	3 mm		
Weight (empty)	0.3 Kg		
Recommended installation height	15 - 20 cm to countertop		
Suitable soaps chl	chlorine-free hand soap with a neutral pH,		
disinfectant solut	ions, liquid soaps or hydroalcoholic gel		
Quantity dispensed per pump	1.2 ml		



SOAP DISPENSERS surface / lever



- Actuated by means of a stainless steel lever
- Corrosion-resistant anti-drip valve
- Inner tank, 2.5 mm thick of translucent polyethylene
- Easily removable inner tank
- Hinged cover for operator convenience and speed of service

Admits liquid soap or hydro-alcoholic gel

- DJFP035 · DJFP035B · DJFP035C · DJFP035CS
- Exclusive use for foam soap

DJSP036 · DJSP036B · DJSP036C · DJSP036CS

• Exclusive use for disinfectant liquids

(INTERCH	ANGABLES V	ALVES
	NE SOAP DISPENSER, 3 POSSIBLE VALVES!	6	0	0	liquid soap	foam	spray
			~		RCDJ0031 V / RC	DJF0032 V /	RCDJS0033 V1


DJP0034 · DJFP035 · DJSP036 · DJP0034B · DJFP035B · DJSP036B · DJP0034C · DJFP035C · DJSP036C · DJP0034CS · DJFP035CS DJSP036CS TECHNICAL SPECIFICATIONS

Capacity	1.5 L
Stainless steel thickness	0.8 mm
Weight (empty)	1.35 Kg
Recommended installation height	15 –20 cm from countertop
<u>DJP0034 – DJP0034B - DJP0034C</u>	- DJP0034CS
Suitable soaps	Liquid soaps and hydro-alcoholic gels
Quantity dispensed per pump	1.5 ml
DJFP035 - DJFP035B - DJFP035C -	DJFP035CS
Suitable soaps	Foam soaps
Quantity dispensed per pump	1 ml
DJSP036 - DJSP036B - DJSP036C -	- DJSP036CS
Suitable soaps	Liquid disinfectant soaps
Quantity dispensed per pump	0.8 ml



mediclinics

recessed / push button



DJE0010CS · DJT118 COMPONENTS AND MATERIALS

DJE0010CS

- Recessed soap dispenser made of AISI 304 stainless steel
- Chromed brass push button
- Inner plastic tank
- Lock with a supplied special key
- One-piece frontal part
- Frontal content viewer
- Anti-drip valve
- Suitable for chlorine-free hand soap with a neutral pH

DJT118

- Removable valve for refiling in the upper part
- Vandal-resistant polyethylene tank
- Lock and special key supplied
- Suitable for chlorine-free hand soap with a neutral pH of 5,5, disinfectant solutions, liquid soaps and hydroalcoholic gel
- Bright finish chromed brass piston and spout, 90 mm long
- Fixed push-button


DJE0010CS · DJT118 TECHNICAL SPECIFICATIONS


DJE0010CS		
Stainless steel thickness		0.8 mm
Weight (empty)		1.4 Kg
Recommended installation	n height	20-25 cm from countertop
Suitable soaps	Chlorine	-free hand soap with neutral pH
Quantity dispensed per p	ump	1.1 ml

DJT118	
Weight (empty)	0.425 Kg
Recommended installation he	eight 10 –15 cm from countertop
Suitable soaps	Chlorine-free hand soap with neutral
	pH of 5.5, disinfectant solutions,
	liquid soaps and hydro alcoholic gel
Quantity dispensed per pump	0 1 ml
Countertop hole	Ø 25 mm
Escutcheon	Ø 50 mm
Shank length	118 mm









<u>15</u>2 mm

SOAP DISPENSERS Table

	MODEL	OPER	ATION	MATERIAL / FINISH								
		manual	autom.	AISI 304 stainless steel white	AISI 304 stainless steel matte black	AISI 304 stainless steel bright	AISI 304 stainless steel satin	chrome plated brass	alumin- ium /ABS	ABS	thermo- plastic	RECESSED
Ē	DJ0037A-B-C-CS		•	•	•	•	•				•	
	DJF0038A-B-C-CS		•	•	•	•	•				•	
0	DJ0160AS		•						•		•	
Ø	DJ0252AC		•					•			•	•
	DJ0031-B-C-CS	•		•	•	•	•				•	
	DJF0032-B-C-CS	•		•	•	•	•				•	
	DJS0033-B-C-CS	•		•	•	•	•				•	
	DJ0040	•		•							•	
	DJ0040B				•						•	
	DJ0040C	•				•					•	
	DJ0040CS	•					•				•	
	DJ0112C	•				•					•	
8	DJ0112CS	•					•				•	
	DJ0111C	•				•					•	
	DJ0111CS	•					•				•	
8	DJ0115C	•				•					•	
	DJ0115CS	•					•				•	
	DJ0010F	•								•	•	
	DJ0020F	•								•	•	
	DJP0034-B-C-CS	•		•	•	•	•				•	
	DJFP035-B-C-CS	•		•	•	•	•				•	
	DJSP036-B-C-CS	•		•	•	•	•				•	
	DJE0010CS	•					•				•	•
	DJT118	•						•			•	•

Suitable soaps table										
Soap dispenser code	Type of pump	Spare part Code	Allowed soaps	Density (Kg/dm ³)						
DJ0031-B-C-CS DJP0034-B-C-CS DJ0037A-B-C-CS	SOAP PUMP	RCDJ0031-V	Liquid soaps and hydroalcoholic gels	0.9 – 1.35						
DJF0032-B-C-CS DJFP035-B-C-CS DJF0038A-B-C-CS	FOAM PUMP	RCDJF0032-V	Foam soaps	0.95 – 1.05						
DJS0033-B-C-CS DJSP036-B-C-CS	SPRAY PUMP	RCDJS0033-V1	Liquid desinfectant soaps(1)	0.8						

SOAP DISPENSERS Table

INST/ TIC	ALLA- ON	CAPACITY							TYPES OF SOAP				MODEL	
Vert.	Horiz.	1.6 L	1.50 L	1.4 L	1.3 L	1.10 L	1 L	0.95 L	0.80 L	Neutral PH	Disinfectant	Foam	Spray	
•							•			•				DJ0037A-B-C-CS
•							•					•		DJF0038A-B-C-CS
•									•	•	•			DJ0160AS
•		•								٠				DJ0252AC
•			•							•	٠			DJ0031-B-C-CS
•			•									•		DJF0032-B-C-CS
•			•								٠		•	DJS0033-B-C-CS
•			•							•	•			DJ0040
•			•							٠				DJ0040B
•			•							٠	٠			DJ0040C
•			•							٠	٠			DJ0040CS
	•					•				•				DJ0112C
	•					•				•				DJ0112CS
•						•				•				DJ0111C
•						•				•				DJ0111CS
	•				•					•				DJ0115C
	•				•					•				DJ0115CS
•						•				•	•			DJ0010F
						•				•	•			DJ0020F
			•							•	•			DJP0034-B-C-CS
•			•									•		DJFP035-B-C-CS
			•										•	DJSP036-B-C-CS
														D03-030-0-C-C3
	•			•						•				DJE0010CS
•								•		•	•			DJT118