TONO



Foster + Partners PORCELANOSA



the design CONCEPT

TONO asks the important questions first. What's the most efficient volume of water? How can controls be made genuinely intuitive? Aesthetics derive from functionality and the innate properties of the materials used. With sinks incorporating an offset circle motif, each element has been consciously created to be quiet, purposeful and exact.

design collaboration

No other organisation has a product palette as wide as Porcelanosa's. Marble, ceramics, Krion, timber, brassware and stainless steel. Its wide range of materials and techniques now meets with the vision of Foster+Partners in a perfect combination. TONO offers architects and designers a new insight in bathroom design. Two companies, one philosophy, infinite possibilities.



development sustainability



The result of physical making rather than theoretical ideas, the performance of each TONO product has been optimised through rigorous testing, prototyping and human interaction. Together, Foster + Partners and Porcelanosa pushed themselves to develop something out of the ordinary: individually crafted components that simultaneously work holistically and harmoniously.

No more, no less. Just as eliminating superfluous detail makes for better design, it also enhances sustainability. As embodied by the 2.3 litre capacity TONO sink, which provides the right amount of water while cutting down on waste. Taps can be adjusted for optimum flow, while natural materials age beautifully.

BASIN

BATH

ELEMENTS





TOWEL WARMER











BRASSWARE







In this Formentera house, each room becomes a real piece of art. The finishes used, blended with the landscape, unveil a clear and minimalist architecture. There is no decoration needed in a space that stands out because of its elements. The master bathroom is furnished with pieces designed by Foster+Partners and Porcelanosa. the bathtub and the washbasin are made of Krion, a mineral compound of high purity that matches perfectly in this space with chromed taps. A timeless touch.

BASINS

Sinks, either countertop or wall-mounted, are the perfect blend of functionality and minimalism. An example of this features is the concealed clicker mechanism.






Basin Countertop 400 Angled



Basin Countertop 400 Straight



Basin Wall Mounted 400




Basin Wall Mounted 600




Corner Basin 420 Angled




Basin Countertop 600 Straight




Basin Wall Mounted 800



Basin Wall Mounted 1200



Basin Wall Mounted 1200





Olhao is a hotel to dream about. A place that inspires you to appreciate life while having a bath in the Tono bathtub or enjoy a wellness moment under the shower.



BRASSWARE

Taps are shaped to catch the light. The bevelled cut on the control lever together with the textured surface are the key to lure curiosity towards its performance system.






Basin Mixer



High Basin Mixer



Sensor Tap




Wall Mounted Mixer With Round Spout



Wall Mounted Mixer With Flat Spout




Bidet Mixer



Floor Mounted Bath Filler with Hand Shower



Bath Set



Shower head



Thermostatic 2-Way Shower Set



CONTACTLESS BATHROOM

Electronic taps with automatic sensors are the solution that guarantees health and safety in the bathroom as they are touchless operated.

We are constantly in contact with the world through our hands and they act as a connecting thread between our bodies and external elements. Further than washing our hands to prevent the spread of infections and germs, there are now technological solutions that are an efficient barrier to protect ourselves and others. Moreover, electronic taps reduce water consumption as the tap opens and closes automatically guided by movement without having to touch it.







KRION ACRYLIC STONE

Freestanding bathtubs have become the central element of bathrooms. In this collection designed by Foster+Partners for Porcelanosa, we can find them in different finishes and materials, providing a wide range of features in the same element. Krion bathtub are comfortable to touch, hygienic and safe thanks to the low porosity of this material that avoids bacteria proliferation.

Greater resistance, durability and easy maintenance are the three features that define acrylic bathtubs. Finally, the grandeur of natural stone makes these bathtubs a unique product since every stone is unique. This product turns out to be a collectible that everybody would love to have.





BATHTUB

Despite its minimalist design, this bathtub includes hydromassage equipment to create an incredible atmosphere of well-being, the convenience of a home spa. The elegance and strong personality of the built-in bathtub are linked to the revitalization therapies for body and soul provided by the hydrotherapy and chromotherapy systems.

The Air equipment is a propulsion of air bubbles that create a soft and involving massage for the user to enjoy. The air + equipment also introduces chromotherapy lights, a combination of colors that have a positive influence in our mood.



Different options of this signature piece: a freestanding bathtub and a concealed bathtub of 190, 180 and 170 cm. Made of lucite acrylic, a material that is comfortable to touch and highly durable, as well as having a good heat retention and a bright look that lasts over time.





TOILET

Wall-hung toilets made of high compact ceramics that guarantees exceptional resistance. The pure white ceramic tone provides a roomy and serene look in a minimalist bathroom. Moreover, sustainability is not forgotten since they are installed with reduced flush cisterns of 4.5-3 liters capacity.





FURNITURE

Completing TONO's attention to detail, furniture is a key part of the concept. Sliding storage units are built into the mirrors and lights are conveniently positioned around their circumference for perfect and elegant illumination. A horizontal bench unifies this design where pure lines of the make-up desk optimise the space due to its flawlessly engineered drawers.










Mirror 800×1000



Mirror 1200 × 1000



Mirror 1600×1000



Magnifying Mirror





ACCESSORIES

The practical minimalism by Foster + Partners is also reflected in the accessories. A wide range of towel rails, robe hooks, soap dispensers and other elements provide a distinctive touch to each bathroom.



TOWEL WARMER

Our passion for the design of contemporary bathrooms through elements which combine aesthetics and functionality has led us to develop different product lines to offer a complete set of bathroom fittings which also accommodate secondary elements, often unnoticed but nevertheless crucial when creating comfortable rooms.





PURE MODULARITY AND VERSATILITY

The collection stands out because of its modularity, offering multiple possibilities in terms of combinations between the different elements. Aiming to create modern and creative bathroom spaces. TONO adapts to all needs, offering a bathroom design without forgetting practical features.

Tono sees pieces with a signature seal made of high-quality materials, which go hand in hand with harmony while improving people's quality of life. A comprehensive and built-in bathroom with an endless selection of finishes and materials. The equipment which needs a custom-made bathroom.







TECHNICAL ZONE









Ceramic Basin Countertop 400 Angled

Features:

Clicker waste with ceramic cover Overflow CL10 Nk Protect/Compact Ceramic Technology

Chemical resistant Easy-clean surface

Krion Basin Countertop 400 Angled

Features:

Clicker waste with Krion®cover Hidden Overflow CL10 Repairable Easy-clean

Krion® Solid is Greenguard Gold Certified

		Ν	oke	en	C	era


Finishes:

Finishes:

Krion® Solid

TONO Elements: Washbasins





Stone Basin Countertop 400 Angled

Features:

Stone cover available with fixed waste Hand finished matt surface Stone Protection coating to resist stains and bacteria Without overflow

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown. Stone basins are supplied without an overflow system

Finishes:



Habana Dark





Capuccino Grey











Ceramic Basin Countertop 400 Straight

Features:

Clicker waste with ceramic cover
Overflow CL10
Nk Protect/Compact Ceramic Technology
Chemical resistant
Easy-clean surface

Krion Basin Countertop 400 Straight


Features:

Clicker waste with Krion®cover Hidden Overflow CL10 Krion®Solid is GreenGuard Gold Certified Chemical Resitant Easy-clean Repairable

Finishes:	Finishes:
Noken Ceramic®	Krion® Solid

TONO Elements: Washbasins





Stone Basin Countertop 400 Straight

Features:

Stone cover available with fixed waste
Hand finished matt surface
Stone Protection coating to resist stains and bacteria
Without overflow

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown. Stone basins are supplied without an overflow system

Finishes:




Habana Dark




Capuccino Grey











Ceramic Basin Wall Mounted 400

Features:

Clicker waste with ceramic cover

Overflow CL10

Nk Protect/Compact Ceramic Technology

Chemical resistant

Easy-clean surface

Krion Basin Wall Mounted 400

Features:

Clicker waste with Krion®cover

Hidden Overflow CL10

Krion®Solid is GreenGuard Gold Certified

Chemical Resitant


Easy-clean

Repairable

	Finishes:		
Noken Ceramic®	Krion® Solid		

TONO Elements: Washbasins





Stone Basin Wall Mounted 400

Features:

Stone cover available with fixed waste

Hand finished matt surface

Stone Protection coating to resist stains and bacteria

Metal bracket

Without overflow

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown. Stone basins are supplied without an overflow system

Finishes:



Habana Dark



Capuccino Grey









Ceramic Basin Wall Mounted Corner 420

Features:

Clicker waste with ceramic cover

Overflow CL10

Nk Protect/Compact Ceramic Technology


Chemical resistant


Easy-clean surface


Finishes:

Noken Ceramic®

TONO Elements: Washbasins







Ceramic Basin Wall Mounted 600

Features:

Clicker waste with ceramic cover

Overflow CL10

Nk Protect/Compact Ceramic Technology

Chemical resistant


Easy-clean surface


Finishes:


Noken Ceramic®











Ceramic Basin Wall Mounted 600

Features:

Clicker waste with ceramic cover Overflow CL10

Nk Protect/Compact Ceramic Technology Chemical resistant

Easy-clean surface

Krion Basin Wall Mounted 600

Features:

Repairable

Clicker waste with Krion®cover Hidden Overflow CL10 Krion®Solid is GreenGuard Gold Certified Chemical Resitant Easy-clean

Finishes:


Noken Ceramic®


Finishes:

Krion® Solid

TONO Elements: Washbasins







Stone Basin Wall Mounted 600

Features:

Stone cover available with fixed waste
Hand finished matt surface
Stone Protection coating to resist stains and bacteria
Metal bracket

Without overflow

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown. Stone basins are supplied without an overflow system

Finishes:




Habana Dark





Capuccino Grey














Ceramic Basin Wall Mounted 800

Features:

Clicker waste with ceramic cover

Overflow CL10

Nk Protect/Compact Ceramic Technology

Chemical resistant

Easy-clean surface

Krion Basin Wall Mounted 800

Features:

Clicker waste with Krion®cover

Hidden Overflow CL10

Krion®Solid is GreenGuard Gold Certified

Chemical Resitant

Easy-clean

Repairable


Finishes:


Noken Ceramic®


Finishes:

Krion® Solid

TONO Elements: Washbasins







Stone Basin Wall Mounted 800

Features:

Stone cover available with fixed waste

Hand finished matt surface

Stone Protection coating to resist stains and bacteria

Metal bracket

Without overflow

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown. Stone basins are supplied without an overflow system

Finishes:





Habana Dark




Capuccino Grey









Ceramic Basin Wall Mounted 1200

Features:

Clicker waste with ceramic cover

Overflow CL10

Nk Protect/Compact Ceramic Technology


Chemical resistant


Easy-clean surface

Finishes:

Noken Ceramic®

TONO Elements: Washbasins







Ceramic Double Bowl Basin Wall Mounted 1200

Features:

Clicker waste with ceramic cover

Overflow CL10

Nk Protect/Compact Ceramic Technology

Chemical resistant


Easy-clean surface


Finishes:


Noken Ceramic®











Basin Mixer

Features:

Ø25 mm Ceramic cartridge
Flow rate: 5.7 I/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248
Flexi hose 3/8" connection, length 450mm
Optional Ø48mm washer included

Basin Mixer with Lever

Features:

Ø25 mm Ceramic cartridge
Flow rate: 5.7 I/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248
Flexi hose 3/8" connection, length 450mm
Optional Ø48mm washer included

Finishes:



Chrome



Titaniun



Finishes:





Chrome


TONO Elements: Brassware














High Basin Mixer

Features:

Ø25 mm Ceramic cartridge
Flow rate: 5.7 l/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248
Flexi hose 3/8" connection, length 450mm
Optional Ø48mm washer included

High Basin Mixer with Lever

Features:

Ø25 mm Ceramic cartridge
Flow rate: 5.7 l/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248
Flexi hose 3/8" connection, length 450mm
Optional Ø48mm washer included

Finishes:



Chrome



Titanium




Copper


Finishes:




Chrome











Wall Mounted Mixer With Round Spout

Features:

Ø35 mm Ceramic cartridge
Flow rate: 5.7 l/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248

Wall Mounted Mixer With Flat Spout

Features:

Ø35 mm Ceramic cartridge
Flow rate: 5.7 I/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248

Finishes:



Chrome

Tita

litaniun



Copper

Finishes:



Titanium




Copper


TONO Elements: Brassware











Wall Mounted Mixer

Features:

Ø35 mm Ceramic cartridge
Max. flow rate: 20 I/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Ni-Cr coating tested to EN 248
1/2" connection

Sensor Tap

Features:

Sensor-operated

Flow rate: 5.7 I/min at 3 bar

Ni-Cr coating tested to EN 248

6V Battery connection

Single water inlet

Optional Ø48mm washer included

Adjustable aerator

Aerator for different building ratings available

Finishes:



Chrome



Titanium



Copper


Finishes:





Chrome











Bidet Mixer

Features:

Ø25 mm Ceramic cartridge
Flow rate: 5.7 I/min at 3 bar
Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248
Flexi hose 3/8" connection, length 400mm

Optional Ø48mm washer included

Bidet Mixer Lever

Ø25 mm Ceramic cartridge

Flow rate: 5.7 I/min at 3 bar

Features:

Cartridge reliability meeting:
European standard EN 817 and
American standard ASME A112.18.1M
Adjustable aerator
Aerator for different building ratings available
Ni-Cr coating tested to EN 248
Flexi hose 3/8" connection, length 400mm
Optional Ø48mm washer included

Finishes:



Chrome



Titaniur



Coppe


Finishes:




Chrome

TONO Elements: Brassware







Floor Mounted Bath Filler with Hand Shower

Features:

Ø40mm Ceramic cartridge with Integrated diverter

Spout flow rate: 19 I/min at 3 bar.

Includes Hand Shower and magnetic bracket Hand Shower flow rate: 6,8 I/min at 3 bar

Adjustable aerator

Aerator for different building ratings available

Cartridge reliability meeting: European standard EN 817 and American standard ASME A112.18.1M Ni-Cr coating tested to EN 248

Finishes:




Chrom




Titanium




opper









Bath Set

Including:

Hand Shower

Grommet

Hose

Diverter

Pair of valves (hot and cold)

Related items:

Krion Bathtub Freestanding

Hand Shower

Features:

Flow rate: 6.8 I/min at 3 bar Ni-Cr coating tested to EN 248

Finishes:





Finishes:



Chrome



Titanium





Copper

TONO Elements: Brassware









Thermostatic 2-Way Shower Set

Features:

Includes Hand Shower and magnetic bracket Thermostatic Element flow rate: 25 I/min at 3 bar Hand Shower flow rate: 6.8 I/min at 3 bar 38°C safety stop 48°C temperature limit Built-in non-return valves Cartridge reliability meeting: European standard EN 1111 Ni-Cr coating tested to EN 248

Shower Head 400

Features: 400mm diameter Flow rate: 18 l/min at 3 bar 450 mm wall installation arm included Ni-Cr coating tested to EN 248

Finishes:







Titanium



Copper

Finishes:



Chrome




Titanium



Copper





Shower column

Features:

Thermostatic Shower Column Built-in wax thermoelement Shower Head Magnetic Bracket Magnetic Hand Shower 38°C Temperature Limit Non-return Valve

Flow Rate Hand Shower: 6 I/min at 3 bar Flow Rate Shower Head: 7,8 I/min at 3 bar


Finishes:



TONO Elements: Sanitaryware









Toilet Seat and Lid

Features:

Soft close mechanism with 10 year warranty Comfort design Produced in Formaldehyde

Dual Flush Button

Features:

Compatible with Noken SMART LINE concealed cistern Stainless steel AISI 304

Finishes:

Formaldehyde/White

Finishes:

Brushed stainless steel





Brushed gold



Titanium




Copper





Brushed copper

TONO Elements: Sanitaryware









Wall Mounted Toilet

Features:


Compatable with 3 – 4.5 litre cisterns Installation onto in-wall carrier system Concealed fixings included Nk Protect/Compact Ceramic Technology Chemical resistant Easy-clean surface


Finishes:	


Noken Ceramic®

TONO Elements: Sanitaryware









Wall Mounted Bidet

Features:


Clicker waste with ceramic cover included Overflow CL10 Installation onto in-wall carrier system Concealed fixings included Nk Protect/Compact Ceramic Technology Chemical resistant Easy-clean surface







TONO Elements: Bathtubs









Acrylic Freestanding Bathtub

Features:

Double-ended design with central drain Integrated shelf Waste and overflow included Easy-clean

Finishes:

Lucite Acrylic

Chrom





Titanium





Copper

TONO Elements: Bathtubs









Krion Freestanding Bathtub

Features:

Double-ended design with central drain Integrated shelf Integrated Hot and Cold valves 2-way diverter and Hand Shower Set Integrated drain with overflow/filler Krion®Solid is GreenGuard Gold Certified Ni-Cr coating tested to EN 248 Chemical Resitant Easy-clean Repairable

Finishes:



Krion® Solid



Chrome




Titanium





Copper

TONO Elements: Bathtubs









Krion Freestanding Bathtub

Features:

Double-ended design with central drain Integrated shelf Integrated drain with overflow Krion®Solid is GreenGuard Gold Certified Ni-Cr coating tested to EN 248

Chemical Resitant

Easy-clean


Repairable


Finishes:


Krion® Solid

TONO Elements: Bathtubs









Stone Freestanding Bathtub

Features:

Integrated shelf Hand finished matt surface Stone Protection coating to resist stains and bacteria Installation Kit included Without overflow

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown. Stone Baths are supplied without an overflow system

Finishes:




Habana Dark





Capuccino Grey



TONO Elements: Bathtubs








mm	Α	В	С	D
1700 x 700	1700	700	1620	530
1800 × 800	1800	800	1720	630
1900 x 900	1900	900	1820	730


Acrylic Whirl Tub


Features: Integrated shelf Integrated drain with overflow Built-in version with support frame Without brassware

Finis	hes:
	Lucite Acr

TONO Elements: Bathtubs







mm	А	В	С	D
1700 x 700	1700	700	1620	530
1800 × 800	1800	800	1720	630
1900 x 900	1900	900	1820	730

Acrylic Whirl Tub

Features: Integrated shelf Integrated drain with overflow Built-in version with support frame With AIR system With brassware


Finishes:


Lucite Acrylic

TONO Elements: Furniture









Wall Hung Drawer 800 × 100

Features:

Designed for Single Basin installation
Made with solid timber from sustainably managed forests
Wall brackets included
Soft-close runners
Compatible with TONO Countertop Basins

Compatible with TONO Countertop Bottle Trap Set

Allows for seated dresser configurations

Wall Hung Drawer 800 × 200

Features:

Designed for Single Basin installation
Made with solid timber from sustainably managed forests
Wall brackets included
Soft-close runners
Compatible with TONO Countertop Basins
Compatible with TONO Countertop Bottle Trap Set

Finishes:

Maple
Oak

Finishes:

Maple


Oak


Walnut

TONO Elements: Furniture









Wall Hung Drawer 1200 × 100 - Single Basin

Features:

Designed for Single Basin installation
Left and right versions available
Made with solid timber from sustainably managed forests
Wall brackets included
Soft-close runners
Compatible with TONO Countertop Basins

Compatible with TONO Countertop Bottle Trap Set

Allows for seated dresser configurations

Wall Hung Drawer 1200 × 100 - Double Basin

Features:

Designed for Double Basin installation
Made with solid timber from sustainably managed forests
Wall brackets included
Soft-close runners
Compatible with TONO Countertop Basins
Compatible with TONO Countertop Bottle Trap Set


Allows for seated dresser configurations




TONO Elements: Drawers









Wall Hung Drawer 1200 × 200 - Single Basin

Features:

Designed for Single Basin installation
Left and right versions available
Made with solid timber from sustainably managed forests
Wall brackets included
Soft-close runners

Compatible with TONO Countertop Basins
Compatible with TONO Countertop Bottle Trap Set

Wall Hung Drawer 1200 × 200 - Double Basin

Features:

Designed for Double Basin installation

Made with solid timber from sustainably managed forests


Wall brackets included


Soft-close runners


Compatible with TONO Countertop Basins


Compatible with TONO Countertop Bottle Trap Set

TONO Elements: Drawers









Wall Hung Drawer 1600 × 100 - Single Basin

Features:

Designed for Single Basin installation Left and right versions available

Made with solid timber from sustainably managed forests

Wall brackets included

Soft-close runners

Compatible with TONO Countertop Basins

Compatible with TONO Countertop Bottle Trap Set

Allows for seated dresser configurations

Wall Hung Drawer 1600 × 100 - Double Basin

Features:

Designed for Double Basin installation

Made with solid timber from sustainably managed forests

Wall brackets included

Soft-close runners

Compatible with TONO Countertop Basins

Compatible with TONO Countertop Bottle Trap Sett

Allows for seated dresser configurations

Finishes:

Ma

Maple

0

Walnut

Finishes:



Maple



_

Walnut

Finishes:



Maple



Walnu

Finishes:




Maple





Oak

TONO Elements: Drawers









Wall Hung Drawer 1600 × 200 - Single Basin

Features:

Designed for Single Basin installation Left and right versions available

Made with solid timber from sustainably managed forests

Wall brackets

Soft-close runners

Compatible with TONO Countertop Basins

Compatible with TONO Countertop Bottle Trap Set

Wall Hung Drawer 1600 × 200 - Double Basin

Features:

Designed for Double Basin installation

Made with solid timber from sustainably managed forests

Wall brackets


Soft-close runners


Compatible with TONO Countertop Basins


Compatible with TONO Countertop Bottle Trap Set


TONO Elements: Bench














Wall Hung Bench 800

Features:

Made with solid timber from sustainably managed forests Wall brackets

Wall Hung Bench 1600

Features:

Made with solid timber from sustainably managed forests Wall brackets

Finishes:

Finishes:







Finishes:







Finishes:
















Krion Mirror D 950

Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer

Timber Mirror D 950


Features:
100/240 V - 50/60 Hz 30W
IP 44 Electronics
IP 65 LED 3000°K
Integrated Mirror Demister
On/Off IR Sensor with timer
Made with solid timber from sustainably managed forests

Finishes: Finishes:



TONO Elements: Mirrors





Stone Mirror D 950

Features:

100/240 V - 50/60 Hz 30W

IP 44 Electronics

IP 65 LED 3000°K

Integrated Mirror Demister

On/Off IR Sensor with timer

Hand finished matt surface

Stone Protection coating to resist stains and bacteria

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown

Finishes:



Habana Dark



Capuccino Grey




Calgary









Mirror D 800

Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer

Mirror D 800


Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister Controled by tactile sensor


Finishes:	Finishes:
Mirror	Mirror

TONO Elements: Mirrors









Mirror D 1000

Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer Possibility of installing magnifying mirror


Mirror D 1000


Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister Controled by tactile sensor Possibility of installing magnifying mirror

inishes:	Finishes:
Mirror	Mirror









Krion Mirror 800 × 1000

Features:

100/240 V - 50/60 Hz 40W

IP 44 Electronics

IP 65 LED 3000°K

Integrated Mirror Demister

On/Off IR Sensor with timer

Timber Mirror 800 × 1000

Features:

100/240 V - 50/60 Hz 40W

IP 44 Electronics

IP 65 LED 3000°K

Integrated Mirror Demister

On/Off IR Sensor with timer

Made with solid timber from sustainably managed forests

Finishes:

Krion® Solid

Finishes:








TONO Elements: Mirrors





Stone Mirror 800 × 1000

Features:

100/240 V - 50/60 Hz 30W

IP 44 Electronics

IP 65 LED 3000°K

Integrated Mirror Demister

On/Off IR Sensor with timer

Hand finished matt surface

Stone Protection coating to resist stains and bacteria

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown

Finishes:



Habana Dark




Capuccino Grey











Krion Mirror 1200 × 1000

Features: 100/240 V - 50/60 Hz 60W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer

Timber Mirror 1200 × 1000

Features: 100/240 V - 50/60 Hz 60W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer Made with solid timber from sustainably managed forests

Finishes:


Finishes:





TONO Elements: Mirrors





Stone Mirror 1200 × 1000

Features:

100/240 V - 50/60 Hz 60W

IP 44 Electronics

IP 65 LED 3000°K

Integrated Mirror Demister

On/Off IR Sensor with timer

Hand finished matt surface

Stone Protection coating to resist stains and bacteria

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown

Finishes:



Habana Dark




Capuccino Grey



Calgary









Mirror 800 x 1000

Features: 100/240 V – 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer Possibility of installing magnifying mirror

Mirror 800 x 1000

Features:

100/240 V – 50/60 Hz 30W

IP 44 Electronics

IP 65 LED 3000°K

Integrated Mirror Demister

Controled by tactile sensor

Possibility of installing magnifying mirror

Finishes:

Mir

Mirror

Finishes:





Mirror

TONO Elements: Mirrors









Mirror 1200 x 1000

Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer Possibility of installing magnifying mirror

Mirror 1200 x 1000

Features: 100/240 V - 50/60 Hz 30W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister Controled by tactile sensor Possibility of installing magnifying mirror

	n			



Airror

Finishes:



Mirror









Krion Mirror 1600 × 1000

Features: 100/240 V - 50/60 Hz 80W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer

Finishes:

Timber Mirror 1600 × 1000

Finishes:

Features:
100/240 V - 50/60 Hz 80W

IP 44 Electronics
IP 65 LED 3000°K
Integrated Mirror Demister
On/Off IR Sensor with timer
Made with solid timber from sustainably managed forests

Krion® Solid Maj Oal

TONO Elements: Mirrors





Stone Mirror 1600 × 1000

Features: 100/240 V - 50/60 Hz 80W IP 44 Electronics IP 65 LED 3000°K Integrated Mirror Demister On/Off IR Sensor with timer Hand finished matt surface

Stone Protection coating to resist stains and bacteria

Note:

Stone is a natural product which may be subject to variations in shade. The colour of the material supplied may differ slightly from that shown

Finishes:



Habana Dark



Capuccino Grey




Calgary


TONO Elements: Accessories











Magnifying mirror

Features: 3x Magnifying mirror Aluminum frame Magnetig support

Towel Hook

Features: Wall Mounted fixings Ni-Cr coating tested to EN 248

Finishes:



Finishes:



Chrome




Dark Chrome



TONO Elements: Accessories







Soap Dispenser

Features:

Countertop installation Anti-theft system Soap refill from top or bottom Ni-Cr coating tested to EN 248


Finishes:




TONO Elements: Accessories









Soap Dispenser

Features: Free standing Capacity 200 ml.

Soap Dispenser

Features: Wall mounted Capacity 200 ml.




Finishes: Chrome


TONO Elements: Accessories











Brush holder

Free standing

Brush Holder

Wall Mounted


Finishes:




Finishes: Chrome

TONO Elements: Sanitaryware









Toilet Roll Holder

Related items: Wall Mounted Toilet

Toilet Roll Holder Without Cover

Related items: Wall Mounted Toilet

Finishes:




TONO Elements: Accessories













Shower Shelf

Features: Wall Mounted fixings Ni-Cr coating tested to EN 248

Towel Rail

Features: 45 - 60 - 80 cm Towel Rail Ni-Cr coating tested to EN 248

Finishes:

Chrome

Finishes: Chrome


TONO Elements: Towel Warmer














Towel Warmer 600 x 675

Features: Corrosion Resistance Stainless Steel Aisi 304 Tubular Design

Towel Warmer 600 x 1075

Features: Corrosion Resistance Stainless Steel Aisi 304 Tubular Design

-inis	hes:
	Polished steel
	Brushed steel



Natural Stone

All products in the TONO range are precision-manufactured and finished by hand to achieve their distinctive satin appearance. TONO One and TONO Elements are available in limestone or different types of marble, as follows:

Habana Dark (European marble, with big colour variations among items) Bulk density UNE EN 1936:2007 2640 Kg/m3

Capuccino Grey (Asian marble, with big colour variations among items) Bulk density UNE EN 1936:2007 2818 Kg/m3

Calgary
(Asian limestone, with slight colour changes among items)
Bulk density
UNE EN 1936:2007 2200 Kq/m3

Product protection

Each item in the TONO range is given a specific treatment to enhance the characteristics of the material and to protect it from external agents. PORCELANOSA uses a high-quality water and oil-based repellent sealer that protects the stone from moisture, saltpetre and other household stains. It also enhances the natural colour of

stains. It also enhances the natural colour of the stone.

No two natural products are exactly alike. The subtle differences between each item make them unique and impossible to replicate.

Care and Maintenance

For ordinary cleaning, a powerful cleaner with a neutral pH should be used. This gives fast, efficient results, without affecting the product's protective treatment. Dilute a capful of stone cleaner in a bucket of warm water and mop the product. It's not necessary to rinse it afterwards with water.

In the event of stains or marks caused by acidic substances (lemon, cola, tomato juice, lime-scale remover, wine, vinegar, etc) these can be removed using a suitable restoration kit, available from L'Antic Colonial sale points.

To remove organic stains, dyes and felt-tip pen, use a specific stain remover for stone.

To renew or increase the shine of TONO stoneware, use a natural wax specifically for stone. To apply, dilute the wax as required, rub it onto the surface and, after a few hours, gently wipe off with a soft cloth to obtain the required shine.

Natural Wood

All TONO Elements made of wood are crafted using selected species of trees from sustainably managed forests. All oak is from Europe, and all walnut and maple from

Product protection

North America.

All TONO natural wood products come specially protected with a highly effective microporous blend of plant oils and waxes. This treatment has a high mechanical and chemical resistance, and conserves the wood's natural appeal while improving its durability and resilience. Dirt and water repellent, it's resistant to wine, beer, cola, coffee, tea, fruit juice and milk stains, in accordance with DIN 68861-1A.

Care and Maintenance

To remove dust, grease stains or fingerprints, dissolve mild soap in a container of warm water. Wipe the furniture with a damp cloth, and then dry all the surfaces, especially the corners, with a soft clean dry cloth. When cleaning the products, never use sharp objects, rough scouring pads, solvents, bleach, nail polish remover, vinegar, citric acid, abrasive products or polishes. Avoid using aggressive all-purpose cleaners. The protective surface can be renewed at any time without having to sand it first by applying a new layer of the oil/wax-based treatment

recommended by PORCELANOSA.

Sanitaryware

Sanitaryware from the TONO
One and TONO Elements ranges
is made of Noken Ceramic®.
This is comprised of a specific formula
containing clay, kaolin, feldspar
and quartz

Using only the finest raw materials and temperatures of 1520°C, a pure white colour and superior physical properties can be achieved. These include a very compact material, higher impact resistance and greater flatness. The chemical formula of Noken Ceramic® and its glaze give TONO sanitaryware a scratch-proof, hypo-allergenic, vitrified surface with no pores. It's also resistant to thermal shock.

Care and Maintenance

To clean and care for TONO sanitaryware:

Clean the external parts with water and soft soap (preferably liquid), using a non-abrasive damp cloth. Clean the internal parts (inside the toilet pan) with a disinfectant soap detergent, using a soft sponge.

Always try to avoid granulated soaps, abrasive cosmetic products, cosmetic liquids or similar, and abrasive sponges. When cleaning the inside of the cistern, avoid using chemical products that might damage the internal components and mechanism.

Do not throw large amounts of toilet paper down the toilet, or products that might clog the siphon.

Avoid detergents with hydrofluoric acid. This attacks the glaze, causing porosities that will affect the product's appearance.

Krion® bath

KRION® is a latest-generation solid surface developed by PORCELANOSA. It's made of two-thirds natural minerals (ATH-aluminium trihydride) and a low percentage of high-resistance resins.

KRION® is a fully recyclable sustainable material. All products made of KRION® can be reprocessed and re-used. KRION® does not release volatile compounds, in keeping with PORCELANOSA's environmental commitments. KRION® is easily repairable and can be restored to its original appearance, significantly increasing its lifetime and reducing the need to replace it. In this way, it meets international environmental guidelines on durability.

Thanks to its properties and constant efforts in the field of development, KRION® has

been awarded key environmental certificates such as Greenguard, Greenguard Gold and REACH.





Care and Maintenance

Do not use products that

To clean an item made of KRION®, use a white fibre sponge and mildly abrasive cleaning product (powder cleaner). Rub it in gently, using circular movements, and then rinse it with plenty of water. To clean more stubborn stains, use a blue fibre sponge.

contain organic solvents (alcohol, acetone, ammonia, and fragrant compounds) or aggressive cleaning products such as bleach, hydrochloric acid, caustic soda, lime-scale remover or detergents containing anionic surfactants.

Brassware

TONO Brassware has been designed, developed and manufactured according to the highest standards. PORCELANOSA chooses only the finest raw materials and components, using internationally-accepted alloys and certified internal parts.

TONO bodies are made of brass.
Strict attention is paid to all parts directly in contact with water, particularly those subject to drinking water regulations. Chrome and PVD finishes guarantee both resistance to wear and tear and a beautiful appearance.

The durability of PORCELANOSA cartridges is tested to more than twice the relevant requirements, guaranteeing reliability and smooth performance.

Since bathrooms are places where a good deal of water is consumed, environmental awareness is a key priority in the manufacture

key priority in the manufacture of TONO products. PORCELANOSA applies cutting-edge technologies to the manufacture of its mixers and showers, in order to reduce water consumption and save energy.

Care and Maintenance

For regular cleaning, use only warm soapy water. If this is not possible, use soft non-abrasive gels or similar cleaning products.
Rinse them away thoroughly afterwards and polish with a soft cloth. Avoid using abrasive products such as scouring powder or products containing phosphoric acid, hydrochloric acid, formic acid

or acetic acid, as these might badly damage the product. Only use cleaning products with a neutral pH. After cleaning or using brassware, dry it to prevent lime scale.

Acrylic

PORCELANOSA acrylic bathtubs have a warm smooth surface that feels comfortable to the touch. They are excellent at retaining heat compared to bathtubs made of other materials. PORCELANOSA acrylic has the strength, durability and toughness to withstand frequent use. It's resistant to everyday wear and tear, staining and superficial scratches, and is also antibacterial.

Owing to its low weight, PORCELANOSA acrylic is easy to install, helping to reduce transportation costs and allowing savings to be made on structural support.

Our cast acrylic sheets - made of poly-methyl methacrylate (PMMA) - can be recycled, converting them back to the original raw material.

Care and Maintenance

For regular cleaning, use only warm soapy water. If this is not possible, use soft non-abrasive gels or similar cleaning products. Rinse them away thoroughly afterwards and polish with a soft cloth. Avoid using abrasive products such as scouring powder or products containing phosphoric acid, hydrochloric acid, formic acid, acetic acid, organic solvents, alcohol and chlorinated hydrocarbons, as these might badly damage the product. Only use cleaning products with a neutral pH. After cleaning or using acrylic, dry it to prevent lime scale.

Foster + Partners and Porcelanosa

Foster + Partners is a global architecture, engineering and design studio, characterised by its integrated approach to design. Together with Porcelanosa, a global bathroom manufacturer with expertise across a wide range of products and materials, it has created a comprehensive and co-ordinated range of bathroom products that could be used in a multitude of settings, from residential to commercial interiors and everything in between.

The result of this ambitious project is TONO Elements and TONO One – a set of components designed to work together as part of an integrated system, with a wide choice of finishes and materials. Unified by a common, simple design language and palette of complementary materials and colour tones, the minimalist aesthetic brings to the fore an honesty of material, simplicity of form and the craft of manufacture.

The PORCELANOSA GROUP is present in around 100 countries

Today, the PORCELANOSA GROUP is a benchmark company in the national and international market, founded on values such as innovation and quality but, above all, based on confidence in its extensive workforce of almost 5,000 people and attention to the social environment.

With over 40 years of experience, PORCELANOSA GROUP is present in around 100 countries worldwide, due to its unique business model, which supports a strong corporate strategy. It is currently one of the Spanish companies with worldwide recognition, according to a report published by the consultants PricewaterhouseCooper and the Financial Times.

Manufacturing diversification has been the mainstay in corporate expansion which started exclusively with the manufacture of tiles. Currently, the eight companies of the Group offer an extensive range of products which include kitchen and bathroom designs and advanced construction solutions for contemporary architecture.

